



SIDE X SIDES VEHICLES

SIDE X SIDE UTILITY



RANCH PONY 800 F2

794cc // 60
ENGINE HORSEPOWER



AVENGER MAX 22

149.cc // 8.5
ENGINE HORSEPOWER



RANCH PONY 600 EFI

594cc // 37
ENGINE HORSEPOWER



RANCH PONY 600 F2

594cc // 33
ENGINE HORSEPOWER





RANCH PONY 600 EFI

ULTIMATE COMBINATION OF EXTREME STABILITY, DURABILITY AND AGILITY

COMFORT, CONVENIENCE, AND CAPABLE WORKHORSE DESIGNED TO CONQUER TOUGH JOBS.

IN BOTH RECREATIONAL AND UTILITY PURPOSE WITH SUPERIOR OFF-ROAD STABILITY & CAPABILITY

THE ALL NEW "RANCH PONY 600 EFI"

RANCH PONY 600 EFI



MULTI FUNCTION DIGITAL DISPLAY

Multi function digital instrument cluster shows MPH/KMH, RPMs, Diff Lock Indicator, Odometer and Trip Meter and Engine timer as well as an engine gear, water and oil temp indicator and more.

CD PLAYER & 30W SPEAKERS

AM/FM Radio with CD player also plays MP3s and features auxiliary mini jack input for iPods and MP3 players or phones plus an SD card reader and USB auxiliary port. The radio features radio station presets as well as an EQ. Also included are 30 Watt RMS speakers mounted high overhead in sealed enclosures.



EASY TO USE DUMP BED

The heavy duty, easy to use, dump bed offers a 400 lb. capacity along with easy access release levers on both the driver and passenger side.



SIDE X SIDES

WWW.BMSMOTOR.COM

RANCH PONY 600 EFI



ENGINEERED TO NEW HEIGHTS

The BMS Stallion 600 RX-EFI is a Comfortable and Capable Workhorse Designed to Conquer Tough Jobs in both Recreation and Utility Purpose with Superior Off-road Stability and Capability

MSRP \$8,499

* SHOWN WITH OPTIONAL LED LIGHTS AND SNOW PLOW

WIDER IS THE BETTER

When it comes to stability, wider is better! The BMS Stallion 600 EFI offers best in class widths of 60 inch stance up front and 62 inches in the rear. Couple this with 11 inches of ground clearance and you have a workhorse of a UTV to get any job done while remaining stable in most any condition.



VEHICLE HEIGHT 75 IN.

VEHICLE LENGTH 119 IN.



FRONT TIRE TO TIRE LENGTH: 60 IN.



REAR TIRE TO TIRE LENGTH: 62 IN.

Specifications

ENGINE	
Displacement	594cc
Horsepower	37HP 4 Stroke - EFI
Cooling	Liquid
Ignition	Electronic
Drive Train	
Transmission	Automatic CVT
Drive System	2W/4W Locking Differential
Final Drive	Shaft
Chassis	
Suspension Front	Independent Dual A-Arm
Suspension Rear	Independent Dual A-Arm
Brakes	
Front	Dual Ventilated Hydraulic Disc
Rear	Dual Ventilated Hydraulic Disc
Shaft	Ventilated Hydraulic Disc
Dimensions	
L X W X H	119" X 62" X 75"
Wheel Base	75"
Fuel Capacity	7.9 Gallons
Vehicle Weight	1380lbs
Cargo Capacity	500lbs
Towing Capacity	1200lbs
Ground Clearance	12"

Available Options - See Dealer For Details



OPTIONAL 2

Enclosure

OPTIONAL 3

35W LED roof lights



OPTIONAL 4

Rear electric winch
2500 lbs. capacity

OPTIONAL 1

Snow plow winch
controlled and 45 pivot
dimension: 60X17
inches





RANCH PONY 500

493cc

ENGINE

34

HORSEPOWER

Ultimate Combination of Extreme Stability, Durability and Agility



RANCH PONY 500

RANCH PONY 500 (4X4/4X2) VEHICLE DIMENSION

Vehicle height 75 in.



VEHICLE LENGTH 115 IN.



FRONT TIRE TO TIRE LENGTH: 58 IN.

OPTIONAL

FULL CAB ENCLOSURE

**MSRP \$
448.00**

ACCESSORIES



RANCH PONY 500


Yellow Camo



BMS
MOTOR SPORTS

MSRP \$7,499

RANCH PONY 500



2500lb Winch / 4 Way Fairlead Rollers



Front/Rear Hydraulic Disc Brakes



Rear Ventilated Disc



Hydraulic Brake Calipers



Brake, Blinker and Bright Reverse Lights



Easy Tilt Dump Bed (Dual Side Lever)



Custom Molded Hard Top Canopy



CST All Terrain Tires Aluminum Rims



Rear Mounted 2" Tow Ball



Heavy Duty Rear Differential



Rear Stabilizing Sway Bar



Mud Rock Guards each



Steering Wheel with Horn



Multi Function Digital Instrument



AM/FM Radio/CD/MP3/AUX/USB/SD



4X4 / 4X2 Switch

Specifications

ENGINE	
Displacement	493cc
Horsepower	34HP
Type	4 Stroke - EFI
Cooling	Liquid
Ignition	Electronic
Drive Train	
Transmission	Automatic CVT
Drive System	2W/4W Locking Differential
Final Drive	Shaft
Chassis / Suspension	
Suspension Front	Independent Dual A-Arm
Suspension Rear	Independent Dual A-Arm
Brakes	
Front	Dual Ventilated Hydraulic Disc
Rear	Dual Ventilated Hydraulic Disc
Shaft	Ventilated Hydraulic Disc
Dimensions	
Length X Width X Height	119" X 62" X 75"
Wheel Base	75"
Fuel Capacity	7.9 Gallons
Vehicle Weight	1350lbs
Cargo Capacity	500lbs
Towing Capacity	1200lbs
Ground Clearance	12"

Choose your own Favorite!



Blue



Burgundy



Yellow-Camo



Green-Camo



Yellow



Black



RANCH PONY 800 - F SERIES

794cc // 60

ENGINE HORSEPOWER

Ultimate Combination of Extreme Stability, Durability and Agility



2,000lb

ELECTRIC WINCH

Standar on both versions F2 & F4 models



DRIVER INFORMATION CENTER

The BMS Ranch Pony Multi-function, digital, driver information center shows MPH/KMH, RPMs, Diff Lock Indicator, Odometer, Trip Meter and Engine Timer as well an engine gear (L-H), water and oil temp indicator and more. Using a back lit, easy to see LCD display for easy reading during day or night.

Easy acces switches on dash for winch, turn i ndicators and all lights.

DIFF-LOCK
4X4
ON COMMAND



AM/FM Radio+
MP3 Player
2 X 30 Watt
All Weather Speakers
Included

MASSIVE AMOUNT OF INTERIOR LEG AND HEAD ROOM

Increased cabin size, is adequate for Big & Tall riders


600cc Interior S

OPTIONAL

FRONT HUNTER RACK

MSRP \$ 348.00

ACCESSORIES



RANCH PONY 800 - F SERIES



4 SEATER

2 SEATER



MSRP \$10,588

MSRP \$9,988

FEATURES



INSULATED HEADERS



WIDE FENDER FLARES



ELEGANT HEADLIGHTS



DIGITAL DISPLAY



500LB CAPACITY
ELECTRIC DUMP BED



ALUMINUM WHEELS

Specifications

ENGINE

Displacement
Horsepower
Cooling
Ignition

794cc Dual Cylinder 4-stroke
60.00 HP
Water Cooled
Delphi E.C.U

Drive Train

Transmission
4WD/2WD
Drive System
Final Drive

Auto P-R-N H-L High & Low Gear
4x4, 2x4, with Lock Diff switch
CVT Belt
Shaft

Chassis

Suspension Front
Suspension Rear

Independent Dual A-Arm
Independent Swing Arm

Brakes

Front
Rear

Dual Ventilated Hydraulic Disc
Dual Ventilated Hydraulic Disc

Dimensions

Ovrall Dimentions
Wheel Base
Fuel Capacity
Vehicle Weight
Cargo Capacity
Ground Clearance

110.0 x 58.0 X 73.0 in
75.00
7.14 Gallons
1590 lbs
693 lbs
11.00 in

Plenty of leg and head room yet still narrow enough for many UTV and ATV trails and wide enough to offer maximum stability on inclines and while turning.



COLORS



Oak Camo Leaf

Red / Burgandy

Available in several colors

October Orange

Visit your dealer for current color options



RANCH PONY 600 F-SERIES

594cc

ENGINE

33

HORSEPOWER

Ultimate Combination of Exreme Stability, Durability and Agility

RANCH PONY 600 F-SERIES



DRIVER INFORMATION CENTER

The BMS Ranch Pony Multi-function, digital, driver information center shows MPH/KMH, RPMs, Diff Lock Indicator, Odometer, Trip Meter and Engine Timer as well an engine gear (L-H), water and oil temp indicator and more. Using a back lit, easy to see LCD display for easy reading during day or night.

Easy acces switches on dash for winch, turn indicators and all lights.



AM/FM Radio
MP3 Player
2 X 30 Watt
All Weather Speakers
Included

MASSIVE AMOUNT OF INTERIOR LEG AND HEAD ROOM
Increased cabin size, is adequate for Big & Tall riders

600cc Interior S

OPTIONAL

SNOW PLOWER

MSRP \$

249.99

ACCESSORIES



SIDE X SIDE

WWW.BMSMOTOR.COM

RANCH PONY 600 F-SERIES



4 SEATER


2 SEATER



MSRP \$9,288

MSRP \$8,499

FEATURES



INSULATED HEADERS



WIDE FENDER FLARES



ELEGANT HEADLIGHTS



DIGITAL DISPLAY



500LB CAPACITY
ELECTRIC DUMP BED



ALUMINUM WHEELS

Specifications

ENGINE	
Displacement	594cc
Horsepower	33.00 HP
Type	Single Cylinder 4-Stroke EFI
Cooling	Water Cooled
Ignition	Delphi E.C.U
Drive Train	
Transmission	Auto P-R-N H-L Hight & Low Gear
4WD/2WD	4x4, 2x4, with Lock Diff switch
Drive System	CVT Belt
Final Drive	Shaft
Chassis	
Suspension Front	Independent Dual A-Arm
Suspension Rear	Independent Swing Arm
Brakes	
Front	Dual Ventilated Hydraulic Disc
Rear	Dual Ventilated Hydraulic Disc
Dimensions	
Overall Dimentions 2s	110.0 x 58.0 X 73.0 in
Overall Dimentiosn 4s	148.0 X 56.0 X 76.0 in
Wheel Base	75.00
Fuel Capacity	7.14 Gallons
Load Capacity 2s	2 Person / 693 lbs
	4 person / 1250 lbs
	11.00 in

RANCH PONY 600 EFI VEHICLE DIMENSION

Combined with a set of large and durable wheels, Ranch Pony 600 EFI offers the ultimate driving experience.



COLORS





AVENGER 150 MAX 22

149cc // **8.50**
ENGINE HORSEPOWER

FULLY AUTOMATIC W/ REVERSE

Featuring new Innovative design
built to meet the demands of the
Mini side x side market!!



EXPAND YOUR ADVENTURE

***AVENGER 150 MAX 22
HAS MORE INNER SPACE
FOR ANY SIZE RIDER.***



***Adjustable Driver Seat
Full Cover Windshield
Front / Rear
Hydraulic Disc Brakes
Roof Lights / Sun Screen Canopy***

SIDE X SIDES

WWW.BMSMOTOR.COM

AVENGER 150 MAX 22



MSRP \$3,399

Full Windshield



Head Lights



Roof Canopy



New Instrument Panel



Side Nets



Rear Cargo



Roof Lights



Chain Drive



Rear Tail Lights



Hydraulic disk Brake

Specifications

ENGINE
 Displacement 149 cc
 Horsepower 8.50 HP
 Type Single Cylinder 4 Stroke
 Cooling Air Cooled
 Ignition C.D.I

Drive Train
 Transmission Automatic CVT
 Drive System F-R
 Final Drive Chain

Chassis / Suspension
 Suspension Front Independent Dual A-Arm
 Suspension Rear Swing Arm

Brakes
 Front Dual Ventilated Hydraulic Disc
 Rear Ventilated Hydraulic Disc

Dimensions
 Length X Width X Height 95.0 X 48.0 X 62.0 in
 Wheel Base 48 in.
 Fuel Capacity 2.5 Gallons
 Vehicle Weight 683 lbs
 Load Capacity 2 Person / 250 lbs
 Ground Clearance 6 in.

Avenger 150 VS. Avenger 170 MAX



Choose your own Favorite!



Black Spider



Carbon Fiber Black



Red Spider



Burgundy Red



Carbon Fiber White



Blue Spider



AVENGER 150



BMS MOTOR SPORTS

THE AVENGER MINI SIDE X SIDE

FEATURING A NEW INNOVATIVE DESIGN

FULLY AUTOMATIC 150cc ENGINE

AUTO CVT TRANSMISSION W/REVERSE

AVENGER 150



EXPLORE YOUR WORLD

SIDE X SIDES

WWW.BMSMOTOR.COM

AVENGER 150



MSRP \$3,299

AVENGER 150



Rack & Pinion Steering



Head lights



Rear Disk Brakes



Rear Cargo Bed




Chain Drive



Standard Safety Nets



NEW
Instrument panel



STANDARD SAFETY NETS

Specifications

ENGINE
 Displacement 149.cc
 Horsepower 8.50 HP
 Type Single Cylinder 4 Stroke
 Cooling Air Cooled
 Ignition C.D.I

Drive Train
 Transmission Automatic CVT
 Drive System F-R
 Final Drive Chain

Chassis / Suspension
 Suspension Front Independent Dual A-Arm
 Suspension Rear Swing Arm

Brakes
 Front Dual Ventilated Hydraulic Disc
 Rear Ventilated Hydraulic Disc

Dimensions
 Length X Width X Height 95.0 X 48.0 X 62.0 in
 Wheel Base 48 in.
 Fuel Capacity 2.5 Gallons
 Vehicle Weight 683 lbs
 Load Capacity 2 Person / 250 lbs
 Ground Clearance 6 in.

Available Colors - See Dealer For Details





TYPHOON 125

REALISTIC APPEARANCE
NEW LEVEL OF QUALITY RACING STYLE
WITH WIDER SUSPENSION

OIL COOLED
125CC ENGINE



TYPHOON 125

Netted Footrest

Heavy Duty Front Bumper

Rear Rim: 9 X 6.5

Ventilated Hydraulic
Brake System

Rear Tire: 18X 6.5 - 8

Front Rim: 11X 6

12 in. Double A-Arm

Front Tire: 19X 6 -10

SIDE X SIDE / ATV

WWW.BMSMOTOR.COM

TYPHOON 125



MSRP \$1,699


TYPHOON 125



Heavy Duty Mesh Grill Bumper



Adjustable Nitrogen Filled shocks



Aluminum Rear Axle Hub



Netted Foot Rest



Front Rim size: 11x6
Front tire size: 19x6-10



Rear Rim size: 9x6.5
Rear Tire size: 198x6-5-8

Specifications

ENGINE
Displacement 125cc
Horsepower 8.10 HP
Type Single Cylinder 4-Stroke
Cooling Oil Cooled
Ignition C.D.I

Drive Train
Transmission Semi-Automatic 3 Speed
Drive System Foot Shift W/ Reverse
Final Drive Chain Driven

Chassis / Suspension
Suspension Front Dual A-Arms, Dual Coil Over Shocks
Suspension Rear Single A-Arm, Single Coil Over Shock

Brakes
Front Dual Ventilated Hydraulic Disc
Rear Single Ventilated Hydraulic Disc

Dimensions
Overall L x W x H 63.0" X 41.5" X 36.0"
Wheel Base 41.50"
Fuel Capacity 1.10 Gallons
Load Capacity 220 lbs
Rider Capacity 1 Person
Ground Clearance 5.00"

EXTERIOR DIMMENSION



CHOOSE YOUR OWN COLORS



ORANGE

BLACK

WHITE

RED

BLUE

WWW.BMSMOTOR.COM

SIDE X SIDE / ATV